

企业资质证书 ENTERPRISE QUALIFICATION CERTIFICATE



企业荣誉证书是对企业专业能力、服务质量、创新精神或社会责任的肯定，也是激励企业持续追求卓越、引领行业发展的动力。

荣誉证书体现了企业在市场竞争中的实力和信誉，增强了客户和合作伙伴的信任，同时提升了企业品牌形象和市场竞争力。

Corporate honor certificates are a recognition of a company's professional capabilities, service quality, innovative spirit, or social responsibility. They are also a driving force for companies to continue pursuing excellence and leading industry development.

Honor certificates reflect the strength and reputation of enterprises in market competition, enhance the trust of customers and partners, and improve the brand image and market competitiveness of enterprises.



搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR

DY15

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD



充气管
AIR HOSE




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY15 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动
EMERGENCY STARTING



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



爆闪预警
FLASH WARNI



应急照明
EMERGENCY LIGHTING

DY16

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY16 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY17

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY17 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY18

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY18 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY19

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY19 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY20

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY20 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY21

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY21 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY22

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY22 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

DY23

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



气嘴配件

AIR NOZZLE



TYPE-C线

TYPE-C CORD



充气管

AIR HOSE




电瓶夹

BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY23 6000mAh
工作电压/Working voltage	14.5V
气缸内径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.5Bar/5-150PSI
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	515g
包装尺寸/Package size	115*103*185mm
彩盒重量/Color box weight	815g
数量/Quantity	20pcs
外箱尺寸/Package size	530*245*390mm
整箱重量/Gross weight	16.7kg

产品特点 Product Features



应急启动

EMERGENCY STARTING



智能补气

AIR PUMP



精测胎压

TIRE PRESSURE



爆闪预警

FLASH WARNI



应急照明

EMERGENCY LIGHTING

充气泵

PORTABLE AIR PUMP

C11

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C11 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精确胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C12

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C12 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C13

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C12 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C14

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C14 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C15

便携式充气泵

PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C15 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C16

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C16 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C21

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C21 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C22

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C22 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C23

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C23 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C24

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C24 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C25

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C25 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

C26

便携式充气泵
PORTABLE AIR PUMP



充气管
AIR HOSE



气嘴配件
AIR NOZZLE



TYPE-C线
TYPE-C CORD

产品参数Product Parameters

产品型号/Model	C26 通用款 3000MAH
工作电压/Working voltage	7.4V
气缸直径/Cylinder diameter	19mm
压力范围/Pressure range	0.35-10.3Bar/5-150PSI
产品尺寸/Product size	150x75x50mm
产品净重/Net weight	452g
包装尺寸/Package size	80*82*157mm
彩盒重量/Color box weight	567g
整箱数量/Quantity	20pcs
包装尺寸/Package size	420*245*340
整箱重量/Gross weight	11.6kg

产品特点 Product Features



智能补气
AIR PUMP



精测胎压
TIRE PRESSURE



应急照明
EMERGENCY LIGHTING



爆闪预警

应急电源充气鼓风一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE

DY50

应急电源充气鼓风一体机


JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



产品参数Product Parameters

产品型号/Model	DY50 6000mAh
工作电压/Working voltage	14.8V
气缸内径/Cylinder diameter	21mm
压力范围/Pressure range	0.2-10.5Bar/3-150PSI
USB输出/USB output	5V / 2 A
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	180x95x75mm
产品净重/Net weight	0.821kg
包装尺寸/Package size	19*12*13
彩盒重量/Color box weight	1150
数量/Quantity	12PCS
外箱尺寸/Package size	395*390*390mm
整箱重量/Gross weight	14.5kg

产品特点 Product Features



DY88

应急电源充气鼓风一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



气嘴配件
AIR
NOZZLE



TYPE-C线
TYPE-C
CORD



充气管
AIR
HOSE



电瓶夹
BATTERY
TERMINAL




多功能配件
MULTI FUNCTIONAL
ACCESSORIES

产品参数Product Parameters

产品型号/Model	DY88 6000mAh
工作电压/Working voltage	14.8V
气缸内径/Cylinder diameter	21mm
压力范围/Pressure range	0.2-10.5Bar/3-150PSI
USB输出/USB output	5V / 2 A
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	180x95x75mm
产品净重/Net weight	0.821kg
包装尺寸/Package size	19*12*13
彩盒重量/Color box weight	1150
数量/Quantity	12PCS
外箱尺寸/Package size	395*390*390mm
整箱重量/Gross weight	14.5kg

产品特点 Product Features



应急启动
EMERGENCY
STARTING



智能补气
AIR PUMP



精测胎压
TIRE
PRESSURE



充电宝
POWER
BANK



应急照明
EMERGENCY
LIGHTING



鼓风功能
BLOWING FUNCTION

DY89

应急电源充气鼓风一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



气嘴配件
AIR
NOZZLE




TYPE-C线
TYPE-C
CORD



充气管
AIR
HOSE



电瓶夹
BATTERY
TERMINAL




多功能配件
MULTI FUNCTIONAL
ACCESSORIES

产品参数Product Parameters

产品型号/Model	DY89 6000mAh
工作电压/Working voltage	14.8V
气缸内径/Cylinder diameter	21mm
压力范围/Pressure range	0.2-10.5Bar/3-150PSI
USB输出/USB output	5V / 2 A
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	180x95x75mm
产品净重/Net weight	0.821kg
包装尺寸/Package size	19*12*13
彩盒重量/Color box weight	1150
数量/Quantity	12PCS
外箱尺寸/Package size	395*390*390mm
整箱重量/Gross weight	14.5kg

产品特点 Product Features



应急启动
EMERGENCY
STARTING



智能补气
AIR PUMP



精测胎压
TIRE
PRESSURE



充电宝
POWER
BANK



应急照明
EMERGENCY
LIGHTING



鼓风功能
BLOWING FUNCTION

应急电源

JUMP STARTER

DY01

应急启动电源
JUMP STARTER



TYPE-C线
TYPE-C CORD




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY01 6000mAh
启动电流/Starting current	/
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	157x81x36mm
产品净重/Net weight	312g
包装尺寸/Package size	100*100*180
彩盒重量/Color box weight	505g
整箱数量/Quantity	20pcs
包装尺寸/Package size	10.5kg
整箱重量/Gross weight	520*215*390mm

产品特点 Product Features



应急启动
EMERGENCY STARTING



应急照明
EMERGENCY LIGHTING



爆闪预警
FLASH WARNING

DY02

应急启动电源
JUMP STARTER



TYPE-C线
TYPE-C CORD




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY02 6000mAh
启动电流/Starting current	/
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	157x81x36mm
产品净重/Net weight	312g
包装尺寸/Package size	100*100*180
彩盒重量/Color box weight	505g
整箱数量/Quantity	20pcs
包装尺寸/Package size	10.5kg
整箱重量/Gross weight	520*215*390mm

产品特点 Product Features



应急启动
EMERGENCY STARTING



应急照明
EMERGENCY LIGHTING



爆闪预警
FLASH WARNING

DY03

应急启动电源
JUMP STARTER



TYPE-C线
TYPE-C CORD




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY03 6000mAh
启动电流/Starting current	/
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	157x81x36mm
产品净重/Net weight	312g
包装尺寸/Package size	100*100*180
彩盒重量/Color box weight	505g
整箱数量/Quantity	20pcs
包装尺寸/Package size	10.5kg
整箱重量/Gross weight	520*215*390mm

产品特点 Product Features



应急启动
EMERGENCY STARTING



应急照明
EMERGENCY LIGHTING



爆闪预警
FLASH WARNING

DY08

应急启动电源
JUMP STARTER



TYPE-C线
TYPE-C CORD




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY08 6000mAh
启动电流/Starting current	/
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	157x81x36mm
产品净重/Net weight	312g
包装尺寸/Package size	100*100*180
彩盒重量/Color box weight	505g
整箱数量/Quantity	20pcs
包装尺寸/Package size	10.5kg
整箱重量/Gross weight	520*215*390mm

产品特点 Product Features



应急启动
EMERGENCY STARTING



应急照明
EMERGENCY LIGHTING



爆闪预警
FLASH WARNING

DY09

应急启动电源
JUMP STARTER



TYPE-C线
TYPE-C CORD




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY09 6000mAh
启动电流/Starting current	/
启动电流/Starting current	500A
峰值电流/Peak current	1000A
产品尺寸/Product size	157x81x36mm
产品净重/Net weight	312g
包装尺寸/Package size	100*100*180
彩盒重量/Color box weight	505g
整箱数量/Quantity	20pcs
包装尺寸/Package size	10.5kg
整箱重量/Gross weight	520*215*390mm

产品特点 Product Features



应急启动
EMERGENCY STARTING



应急照明
EMERGENCY LIGHTING



爆闪预警
FLASH WARNING

DY10

应急启动电源
JUMP STARTER



TYPE-C线
TYPE-C CORD




电瓶夹
BATTERY TERMINAL

产品参数Product Parameters

产品型号/Model	DY10	DY08	6000mAh
启动电流/Starting current	/		
启动电流/Starting current	500A		
峰值电流/Peak current	1000A		
产品尺寸/Product size	157x81x36mm		
产品净重/Net weight	312g		
包装尺寸/Package size	100*100*180		
彩盒重量/Color box weight	505g		
整箱数量/Quantity	20pcs		
包装尺寸/Package size	10.5kg		
整箱重量/Gross weight	520*215*390mm		

产品特点 Product Features



应急启动
EMERGENCY STARTING



应急照明
EMERGENCY LIGHTING



爆闪预警
FLASH WARNING